🕒 LG Chem	alling alling	Version: R0001.0001	
	SAFETY DATA SHEET	Date of issue: 2015-12-14 Revision date: 2015-12-14	
	the state of the s		
	ABS AF312B	Change List:	
A Windth	Copyright 2015. LG Chem, Ltd. all rights reserved.		
	4		
DENTIFICATION A. Product name			
- ABS AF312B		ALER	
- ADS AF512D	AL CLU	THE CLU	
B. Recommended use and r	restriction on use	1 (THE CHILD	
- General use	: Manufacture of plastics products	MP LOT	
- Restriction on use	: Use for only recommended uses.	Trust C	
C. Manufacturer / Supplier			
• Manufacturer informatio			
- Company name	: LG Chem, Ltd	allella	
- Address	: 55, Yeosusandan 2-ro, Yeosu-si, Jeollanam-do, 59611, Korea	THE OLIV	
- Dept.	: Basic Materials & Chemicals R&D		
- Telephone number - Emergency telephone	: 82-61-680-1679 : 82-61-680-1679	at Alert ou	
number - Fax number	: 82-61-680-6021		
- E-mail address	: webmaster@lgchem.com		
• Supplier/Distributer info			
- Company name	: LG Chem, Ltd	THE LED	
- Address	: 55, Yeosusandan 2-ro, Yeosu-si, Jeollanam-do, 59611, Korea	Bhy Co T	
- Dept.	: Basic Materials & Chemicals R&D	Oriter	
- Telephone number	: 82-61-680-1679	a Fall of	
- Emergency telephone	. 92 61 690 1670		
number	: 82-61-680-1679		
- Fax number	: 82-61-680-6021		
- E-mail address	: webmaster@lgchem.com		
HAZARD IDENTIFICATIO	N	ALC 10	
A. GHS Classification	and the second second	and the second s	
- Carcinogenicity : Category2	2	on allowing	
Acute aquatic toxicity : Cat	egory1	A BASTE	
- Chronic aquatic toxicity : C	Category1		
B. GHS label elements			
• Hazard symbols			
	A		
		A BULLIO	
S. Com A		340	
Signal words	A MASICO A MASICO	A 183	
- Warning			
• Hazard statements			
- H351 Suspected of caus	-		
- H400 Very toxic to aqu	115 0	ALL TO	
- 123 V - 70	atic life with long lasting effects	AN AND CONTRACT	
• Precautionary statement	S	14 Martin	
1) Prevention	and Print Com	MPAL CONT	
- P201 Obtain special	l instructions before use.		
	e until all safety precautions have been read and understood.		

- P273 Avoid release to the environment.
- P281 Use personal protective equipment as required.

2) Response

- P308+P313 If exposed or concerned: Get medical advice/attention.
- P391 Collect spillage.

3) Storage

- P405 Store locked up.

4) Disposal

- P501 Dispose of contents/container in accordance with local/regional/national/international regulation

C. Other hazards which do not result in classification : (NFPA Classification)

NFPA grade (0 ~ 4 level)

- Health : 0, Flammability : 0, Reactivity : 0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Trade names and Synonyms	CAS No.	Content(%)
ABS	9003-56-9	70~80
Tetrabromobisphenol A, TBBA, 2,2-Bis(4-hydroxy-3,5- dibromophenyl)propane	79-94-7	15~20
Antimony trioxide	1309-64-4	1~5
Secret	AN CON	1 ~ 10
	ABS Tetrabromobisphenol A, TBBA, 2,2-Bis(4-hydroxy-3,5- dibromophenyl)propane Antimony trioxide	ABS 9003-56-9 Tetrabromobisphenol A, TBBA, 2,2-Bis(4-hydroxy-3,5- dibromophenyl)propane 79-94-7 Antimony trioxide 1309-64-4

4. FIRST AID MEASURES

A. Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15minutes and call a doctor/physician.
- Get medical attention immediately.

B. Skin contact

- Flush skin with plenty of wter for at least 15 minutes while removing contaminated clothing and shoes.
- Laundering enough contaminated clothing before reuse.
- Get medical attention immediately.

C. Inhalation contact

- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.
- Set medical attention immediately.
 - If breathing is stopped or irregular, give artificial respiration and supply oxygen.

D. Ingestion contact

- About whether I should induce vomiting Take the advice of a doctor.
- Rinse your mouth with water immediately.
- Get medical attention immediately.

E. Delayed and immediate effects and also chronic effects from short and long term exposure

💛 - Not available

F. Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.

~

- If exposed or concerned, get medical attention/advice.

5. FIREFIGHTING MEASURES

A. Suitable (Unsuitable) extinguishing media

- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray
- Avoid use of water jet for extinguishing

B. Specific hazards arising from the chemical

- Not available

C. Special protective actions for firefighters

- Move containers from fire area, if you can do without the risk.
- Cool containers with water until well after fire is out.
- Avoid inhalation of materials or combustion by-products.
- Do not access if the tank on fire.
- Wear appropriate protective equipment.
- Keep containers cool with water spray.

6. ACCIDENTAL RELEASE MEASURES

A. Personal precautions, protective equipment and emergency procedures

- Must work against the wind, let the upwind people to evacuate.
- Do not touch spilled material. Stop leak if you can do it without risk.
- Move container to safe area from the leak area.
- Handling the damaged containers or spilled material after wearing protective equipment.
- Cleanup and disposal under expert supervision is advised.
- Keep unauthorized people away, isolate hazard area and deny entry.

B. Environmental precautions

- Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

C. Methods and materials for containment and cleaning up

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notification to central government, local government. When emissions at least of the standard amount
 - Dispose of waste in accordance with local regulation.
 - Appropriate container for disposal of spilled material collected.
 - Small liquid state spills: Appropriate container for disposal of spilled material collected.
 - For disposal of spilled material in appropriate containers collected and clear surface.
 - Avoid entering to sewers or water system.
 - Prevent the influx to waterways, sewers, basements or confined spaces.

7. HANDLING AND STORAGE

A. Precautions for safe handling

- Comply with all applicable laws and regulations for handling
- Get the manual before use.
- Dealing only with a well-ventilated place.
- Do not handle until all safety precautions have been read and understood.
- Contaminated work clothing should not be allowed out of the workplace.

B. Conditions for safe storage, including any incompatibilities

- Check regularly for leaks.
- Keep in the original container.
- Please pay attention to incompatibilities materials and conditions to avoid.
- Keep sealed when not in use.
- No open fire.
- By specifying a storage area for carcinogenic substances.
- Collected them in sealed containers.
- Store away from water and sewer.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure limits

• ACGIH TLV

- [Secret] : TWA 10 mg/m3, Total particulate mass

• OSHA PEL

- [Diantimony trioxide]: 0.5mg/m3
 - [Secret]: 2 mg/m3 (Inorganic compounds, except oxides), 0.1 mg/m3 (Organic compounds)

B. Engineering controls

- A system of local and/or general exhaust is recommended to keep employee exposures above the Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. The use of local exhaust ventilation is recommended to control emissions near the source.

C. Personal protective equipment

• Respiratory protection

- Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.
- Respiratory protection is ranked in order from minimum to maximum.
- Consider warning properties before use.
- Dust, mist, fume-purifying respiratory protection
- Any air-purifying respirator with a corpuscle filter of high efficiency
- Any respiratory protection with a electromotion fan(for dust, mist, fume-purifying)
- Self-contained breathing apparatus with a corpuscle filter of high efficiency
- For Unknown Concentration or Immediately Dangerous to Life or Health : Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.

• Eye protection

- Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
- Provide an emergency eye wash station and quick drench shower in the immediate work area.
- Hand protection
- Wear appropriate glove.
- Skin protection
 - Wear appropriate clothing.
- \circ Others
 - Not available

9. PHYSICAL AND CHEMICAL PROPERTIES

	Ser St		
A. Appearance	ALL ALL CONTRACT	AN PRIME COM	100
- Appearance	Solid (Pellets)	. (Diller Children	(These
- Color	Not available	a fel al	all of
B. Odor	Not available	and and a second	- 11 M
C. Odor threshold	Not available		
D. pH	Not available	1	
E. Melting point/Freezing point	Not available		
F. Initial Boiling Point/Boiling Ranges	Not available		
G. Flash point	Not available	10 N. S.	
H. Evaporation rate	Not available	all the co	
I. Flammability(solid, gas)	Not available	A CAD B. CAD	10
J. Upper/Lower Flammability or explosive limits	Not available	A MARCHO	A 10 0
K. Vapour pressure	Not available	- PUL	A PAR
L. Solubility	Not available		
M. Vapour density	Not available	×	- A
N. Specific gravity(Relative density)	Not available	h	312.0
O. Partition coefficient of n-octanol/water	Not available	a fai	(C)
P. Autoignition temperature	Not available	. Chilling the	ν
Q. Decomposition temperature	Not available	APA ON	
R. Viscosity	Not available	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

S. Molecular weight	Not available		3
ALZ TO	12/2/10	AR L	
0. STABILITY AND REACTIVITY	A C	and the second sec	
A. Chemical Stability	and the state of t	ALEAN ON	
- This material is stable under recomme	ended storage and handling conditions.	W JUST	
B. Possibility of hazardous reactions			
- Hazardous Polymerization will not oc	cur.		
			A
C. Conditions to avoid	1210	alb	
- Avoid contact with incompatible mate		A A A A A A A A A A A A A A A A A A A	
- Avoid : Accumulation of electrostatic	charges, Heating, Flames and hot surfaces	14 Bar Anna	
	ALEAN COLL	AFAL OIL	
D. Incompatible materials			
- Not available			
E. Hazardous decomposition produc	te		
- May emit flammable vapour if involve			
iviaj enint manimalie vapoar n'invorve		15	
THE CHID	THE OLID	A PL	
1. TOXICOLOGICAL INFORMATIO	DN	and the second second	
A. Information on the likely routes of	of exposure	a the a can	
• (Respiratory tracts)	A BEASTLE	A BLASTL	
- Not available			6
∘ (Oral)			<u> </u>
- Not available		-0	
○ (Eye·Skin)	all is	ALC IN	
- Not available	AN PARA CO T	The start and the start of the	and the
B. Delayed and immediate effects an	d also chronic effects from short and long	term exposure	a CAPLE
• Acute toxicity	a also enfonce effects from short and long	term exposure	A WESTON
* Oral			C PUT
- [4,4'-(1-Methylethylidene)bis[2	2,6-dibromophenol]] : LD50 > 5000 mg/kg Rat		
- [Secret] : LD50 > 5000 mg/kg	Rat		~
- [Diantimony trioxide] : LD50	> 34600 mg/kg Rat		
- [Secret] : LD50 > 5000 mg/kg	1130	1120	
- [Secret] : LD50 = 2000 mg/kg	Rat	THE OTTO	
- [Secret] : LD50 > 2000 mg/kg	Rat	Tann Car	and the second se
- [Secret] : LD50 > 1000 mg/kg	Rat	APT OT	1 Plan
- [Secret] : LD50 > 17000 mg/kg	g Rat		
* Dermal			
- [4,4'-(1-Methylethylidene)bis[2	2,6-dibromophenol]]: LD50 > 2000 mg/kg Rabbit		-
- [Secret] : $LD50 > 2000 \text{ mg/kg}$			
- [Secret] : LD50 > 2000 mg/kg	Rat		
		a15-0	
- [Secret] : LD50 > 2000 mg/kg	Rabbit		
- [Secret] : LD50 > 2000 mg/kg - [Secret] : LD50 = 2000 mg/kg	. (C2. M . C. V	AN ALL OLIVE	
- [Secret] : LD50 = 2000 mg/kg * Inhalation	Rabbit	ALTER COURSECIT	. 15
 - [Secret] : LD50 = 2000 mg/kg * Inhalation - [4,4'-(1-Methylethylidene)bis[2] 	Rabbit 2,6-dibromophenol]] : dust LC50 > 1 mg/ℓ 4 hr Ra	ıbbit	MERCH
- [Secret] : LD50 = 2000 mg/kg * Inhalation - [4,4'-(1-Methylethylidene)bis[2 - [Secret] : dust LC50 > 1.8 mg/kg	Rabbit 2,6-dibromophenol]] : dust LC50 > 1 mg/ℓ 4 hr Ra ℓ Rat	bbit	and the
 [Secret] : LD50 = 2000 mg/kg * Inhalation [4,4'-(1-Methylethylidene)bis]⁽² [Secret] : dust LC50 > 1.8 mg/l [Secret] : (0.313 mg/L/4hr Inh 	Rabbit 2,6-dibromophenol]] : dust LC50 > 1 mg/ℓ 4 hr Ra ℓ Rat	bbit control of the c	an and the second
 [Secret] : LD50 = 2000 mg/kg * Inhalation [4,4'-(1-Methylethylidene)bis]? [Secret] : dust LC50 > 1.8 mg/l [Secret] : (0.313 mg/L/4hr Inh Skin corrosion/irritation 	Rabbit 2,6-dibromophenol]] : dust LC50 > 1 mg/ℓ 4 hr Ra ℓ Rat	lbbit	on melling
 [Secret] : LD50 = 2000 mg/kg * Inhalation [4,4'-(1-Methylethylidene)bis]? [Secret] : dust LC50 > 1.8 mg/l [Secret] : (0.313 mg/L/4hr Inh O Skin corrosion/irritation Not available 	Rabbit 2,6-dibromophenol]] : dust LC50 > 1 mg/ℓ 4 hr Ra ℓ Rat	ibbit	o and the second
 [Secret] : LD50 = 2000 mg/kg * Inhalation [4,4'-(1-Methylethylidene)bis][2 [Secret] : dust LC50 > 1.8 mg/l [Secret] : (0.313 mg/L/4hr Inh Skin corrosion/irritation Not available Serious eye damage/irritation 	Rabbit 2,6-dibromophenol]] : dust LC50 > 1 mg/ℓ 4 hr Ra ℓ Rat	ibbit	A RANGE
 [Secret]: LD50 = 2000 mg/kg * Inhalation [4,4'-(1-Methylethylidene)bis][2 [Secret]: dust LC50 > 1.8 mg/l [Secret]: (0.313 mg/L/4hr Inh Skin corrosion/irritation Not available Serious eye damage/irritation Not available 	Rabbit 2,6-dibromophenol]] : dust LC50 > 1 mg/ℓ 4 hr Ra ℓ Rat	lbbit	A DE
 - [Secret] : LD50 = 2000 mg/kg * Inhalation - [4,4'-(1-Methylethylidene)bis]? - [Secret] : dust LC50 > 1.8 mg/l - [Secret] : (0.313 mg/L/4hr Inh • Skin corrosion/irritation - Not available • Serious eye damage/irritation - Not available • Respiratory sensitization 	Rabbit 2,6-dibromophenol]] : dust LC50 > 1 mg/ℓ 4 hr Ra ℓ Rat	ibbit	A PROPERTY OF
 [Secret]: LD50 = 2000 mg/kg * Inhalation [4,4'-(1-Methylethylidene)bis][2 [Secret]: dust LC50 > 1.8 mg/l [Secret]: (0.313 mg/L/4hr Inh O Skin corrosion/irritation Not available O Serious eye damage/irritation Not available 	Rabbit 2,6-dibromophenol]] : dust LC50 > 1 mg/ℓ 4 hr Ra ℓ Rat	ibbit	o enerties



12. ECOLOGICAL INFORMATION

A. Ecotoxicity

Fish

- [2-Propenenitrile polymer with 1,3-butadiene and ethenylbenzene] : LC50 11.5 mg/l 96 hr Pimephales promelas
- [4,4'-(1-Methylethylidene)bis[2,6-dibromophenol]] : LC50 0.54 mg/ℓ 96 hr Pimephales promelas
- [Diantimony trioxide] : LC50 80 mg/ℓ 96 hr
- [Secret] : LC50 > 1.5 mg/ℓ 96 hr Oryzias latipes
- [Secret] : LC50 = 19.2 mg/l 96 hr Oryzias latipes
- [Secret] : LC50 28.902 mg/ℓ 96 hr
- [Secret] : LC50 = 37.79 mg/ ℓ 96 hr Lepomis macrochirus

• Crustaceans

- [4,4'-(1-Methylethylidene)bis[2,6-dibromophenol]] : EC50 0.96 mg/ℓ 48 hr Daphnia magna
- [Diantimony trioxide] : EC50 423.45 mg/ℓ 48 hr
- [Secret] : LC50 > 1.2 mg/ℓ 48 hr Daphnia magna
- [Secret] : EC50 = 13.9 mg/ℓ Daphnia magna
- [Secret] : LC50 33.207 mg/ℓ 48 hr
- [Secret] : LC50 = 44.5 mg/l 48 hr Daphnia magna
- Algae
 - [4,4'-(1-Methylethylidene)bis[2,6-dibromophenol]] : EC50 0.09 ~ 0.89 mg/l 96 hr Selenastrum capricornutum
 - [Diantimony trioxide] : EC50 67 mg/ ℓ 72 hr
 - [Secret] : ErC50 > 1.6 mg/ ℓ 48 hr Scenedesmus subspicatus (EbC50 > 1.6 mg/ ℓ 72 hr)
 - [Secret] : $ErC50 > 30 \text{ mg/}\ell 72 \text{ hr Scenedesmus subspicatus}$
 - [Secret] : LC50 22.003 mg/ℓ 96 hr

B. Persistence and degradability

- \circ Persistence
 - [4,4'-(1-Methylethylidene)bis[2,6-dibromophenol]] : log Kow 4.54
 - [Secret] : log Kow = 13.41 (Estimates)
 - [Secret] : log Kow 15.05 (Estimates)
- Degradability
 - Not available
- C. Bioaccumulative potential

• Bioaccumulative potential

- [4,4'-(1-Methylethylidene)bis[2,6-dibromophenol]] : BCF 20
- [Secret] : BCF \leq 12 (Carp(Cyprinus carpio) 6 weeks 0.05mg/L)
- [Secret] : BCF 3.16 (Estimates)

• Biodegration

- [4,4'-(1-Methylethylidene)bis[2,6-dibromophenol]]: 0 (%) 14 day (OECD TG 301C)
- [Secret] : Biodegradability = 15 (%) 28 day
- [Secret] : Biodegradability = 21 ~ 39 (%) 28 day
- [Secret] : (Non biodegradability-It does not decompose. High potential to be scaled in vivo)

D. Mobility in soil

- [Secret] : Koc 10000000000 (Can be adsorbed in the soil, Estimates)

E. Other adverse effects

- Not available

13. DISPOSAL CONSIDERATIONS

A. Disposal methods

- Since more than two kinds of designaed waste is mixed, it is difficult to treat seperatly, then can be reduction or stabilization by incineration or similar process.
- If water separation is possible, pre-process with Water separation process.
- Dispose by incineration.

B. Special precautions for disposal

- The user of this product must disposal by oneself or entrust to waste disposer or person who other's waste recycle and dispose, person who establish and operate waste disposal facilities.
- Dispose of waste in accordance with all applicable laws and regulations.

14. TRANSPORT INFORMATION

A. UN No. (IMDG)

- 3077

B. Proper shipping name

- Environmentally hazardous substances, solid, n.o.s.

C. Hazard Class

D. IMDG Packing group

- III

- 9

E. Marine pollutant

- Applicable
- Not applicable
- A VAN

F. Special precautions for user related to transport or transportation measures

- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE : F-A (General fire schedule)
- EmS SPILLAGE SCHEDULE : S-F (Water-soluble marine pollutants)

15. REGULATORY INFORMATION

A. National and/or international regulatory information

- POPs Management Law
- Not applicable
- Information of EU Classification



16. OTHER INFORMATION

A. Reference

The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

B. Issue date

- 2015-12-14

C. Revision number and Last date revised

-1 times, 2015-12-14

D. Other

- This SDS is prepared according to the Globally Harmonized System (GHS).