

MATERIAL SAFETY DATA SHEET

MSDS No. : 00-0222-06

1. PRODUCT AND COMPANY IDENTIFICATION

● PRODUCT

PRODUCT NAME : I U P I L O N
GRADE : S - 2 0 0 0

● COMPANY IDENTIFICATION

SUPPLIER : MITSUBISHI ENGINEERING -PLASTICS CORP.
ADDRESS : Shiodome Sumitomo -Bldg. 25F, 9-2, Higashi-shinbashi 1-Chome,
Minato-ku, Tokyo 105-0021, Japan
DEPARTMENT : Environment and Quality Assurance Department
TELEPHONE No. : +81-3 - 6274 - 9060
FAX No. : +81-3 - 6274 - 9085
DATE : 2010. 2. 23
PREPARED BY : Hajime Sentoku

2. HAZARDS IDENTIFICATION

Hazard warning is not required .

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME : Polycarbonate based on bisphenol A
COMPOSITION : more than 99wt%
CHEMICAL FORMULA : [-O-C₆H₄-C(CH₃)₂-C₆H₄-O-CO-]_n-
CAS REGISTRY No. : 25971-63-5

4. FIRST-AID MEASURES

EYE CONTACT :

Flush the eyes with plenty of water without rubbing the eyes with hands .
Get medical attention if irritation persists .

SKIN CONTACT :

Wash contaminated skin with soap and water after contact with processing
vapors and fumes. Immediately cool contaminated skin with water and get
medical attention after contact with molten resin .

INHALATION :

If fumes are inhaled, remove person to fresh air . If breathing is difficult ,
get medical attention .

INGESTION :

This product does not show significant acute toxicity .
Get medical attention if considerable amounts of this product are ingested .

5. FIRE-FIGHTING MEASURES

SPECIAL FIREFIGHTING PROCEDURES :

This product is a combustible thermoplastic material which will melt and
drip when ignited and gives off combustion product mainly consisting of carbon

dioxide carbon monoxide . Formation of traces of aliphatic and aromatic hydrocarbons, aldehydes, acids, phenol and phenol derivatives may occur . Fire-men have to wear self-containing breathing apparatus .

EXTINGUISHING MEDIA :

Water spray or other Class A extinguishing agent .

6. ACCIDENTAL RELEASE MEASURES

This product is a non-hazardous solid in pellet form which can be easily controlled in case of spill or leakage . Collect and put those pellets in proper containers for disposal or recovery .

7. HANDLING AND STORAGE

HANDLING :

Avoid breathing processing fumes and vapors . Processing fumes and vapors may cause eye , skin and respiratory tract irritation , and in case of overexposure , nausea and headache . Clean dust from cutting and sanding operation to prevent its accumulation , since it may cause spark due to statics electricity or dust explosion . Properly ground air transportation lines including hoppers , bad filters to prevent accumulation of static electricity .

STORAGE :

Store this product in place not subject to direct sunlight or elevated temperatures or where there are no ignition sources . Take measures to prevent an accident due to static electricity from occurring .

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

AIRBORNE EXPOSURE LIMITS

This Product ; OSHA PEL : none established

ACGIH TLV : none established

ENGINEERING MEASURES : Provide sufficient ventilation to control exposure levels below airborne exposure limits (see above) .

If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment . Consult NFPA standard 91 for design of exhaust system .

PERSONAL PROTECTIONS :

RESPIRATORY PROTECTION : Avoid breathing dust , vapors or fumes .

Use NIOSH/OSHA approved respiratory protection equipment (full facepiece recommended) when airborne exposure limits (see above) are exceeded . Consult respirator manufacturer to determine appropriate type equipment for given application . Observe respirator use limitations specified by NIOSH /OSHA or the manufacturer .

EYE PROTECTION : This product does not cause significant eye irritation or eye toxicity requiring special protection , except when in molten state.

Use good industrial practice to avoid eye contact . Processing of this product releases vapors or fumes which may cause eye irritation .

Where there is significant potential for eye contact , wear appropriate eye protection and have eye flushing equipment available .

SKIN PROTECTION : This product does not present a significant skin concern requiring special protection at room temperature .

Minimize skin contamination by following good industrial hygiene practice . Processing of this product releases vapors or fumes which may cause skin irritation . Wash hands and contaminated

skin thoroughly after contact with processing vapors or fumes .
Wear rubber glove when handling molten resin .
DUST CLEANING ; Processing fume condensates may be a fire hazard and toxic ;
clean periodically exhaust hoods , duct work and other surfaces
using appropriate protection equipment .

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	: Pellet
BOILING POINT	: Not applicable
FLASH POINT	: > 520°C
VAPOR PRESSURE	: Not applicable
MELTING POINT	: 220-230°C
SPECIFIC GRAVITY	: 1.2
OXIDIZIBILITY	: None under normal handling conditions
FLAMMABILITY	: Combustible
EXPLOSION LIMIT	: Not applicable
SOLUBILITY IN WATER	: Negligible
ODOR	: None

10. STABILITY & REACTIVITY

THERMAL DECOMPOSITION : Decomposition begins at 380°C.

REACTIVITY WITH WATER : None

SELF-REACTIVITY : None

CONDITIONS TO AVOID : In order to avoid hazardous decomposition of hot thick masses of plastics, purged plastics should be cut in small , flat, thin forms to allow rapid cooling .

Do not allow molten resin to remain in barrel at elevated temperatures for extended period of time .

HAZARDOUS DECOMPOSITION PRODUCTS : Smoldering or incomplete combustion leads to the formation of toxic gas mixture such as carbon dioxide, carbon monoxide and traces of aliphatic and aromatic hydrocarbons , aldehydes, acids, phenol and phenol derivatives .

HAZARDOUS REACTIONS : No hazardous reaction observed .

11. TOXICOLOGICAL INFORMATION

SKIN CORROSIVITY	:
None	
IRRITATION	:
None	
ACUTE TOXICITY	:
Not known	
SUB-ACUTE TOXICITY	:
Not known	
CHRONIC TOXICITY	:
Not known	
CARCINOGENIC EFFECTS	:
IARC group 3 (not classifiable as to its carcinogenicity to humans)	
MUTAGENIC EFFECTS	:
Not known	

12. ECOLOGICAL INFORMATION

BIODEGRADABILITY : This product is not biodegradable .

BIOACCUMULATION : This product is not biodegradable .
FISH TOXICITY : Not known

13. DISPOSAL CONSIDERATIONS

Dispose of waste by incineration , sanitary landfill or other method in accordance with all applicable local , state and federal laws and regulation . Consult your attorney or appropriate regulatory officials for information on such disposal .

14. TRANSPORT INFORMATION

UN No. : ---

DECLARATION FOR LAND SHIPMENT : ---

DECLARATION FOR SEE SHIPMENT : ---

DECLARATION FOR SHIPMENT BY AIR : ---

• OTHER INFORMATION : Not dangerous cargo . Keep dry .

15. REGULATORY INFORMATION

• LABELLING ACCORDING TO EEC DERECTIVE : Not required .

In connection with dusts formed in consequence of mechanical treatment , e. g. grinding, the appropriate regulation /limit values for fine dusts must be observed : MAK value (fine dust) : 6 mg/m³

16. OTHER INFORMATION

The data given here is based on current knowledge and experience . The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements . The data does not signify any warranty with regard to the product 's properties .